

MATERIAL SAFETY DATA SHEET

OSTREM CHEMICAL CO. LTD.
2310 - 80 AVENUE
EDMONTON AB T6P 1N2

Phone: (780) 440-1911
In Case of Emergency Only:
Phone CANUTEC: (613) 996-6666

Date completed: Oct. 1, 2008

PRODUCT NAME: ALL WEATHER WINDOW CLEANER **CODE:** J448
OTHER NAME: HESCO GLASS CLEANER
DISTRIBUTED BY: HOTEL EQUIPMENT & SUPPLY CO. LTD

WHMIS CLASSIFICATION: B3; D2A
TDG CLASSIFICATION: FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL); Class 3 (6.1);
UN 1992; PG III

HAZARDOUS INGREDIENTS	%WT/WT	CAS NO.	TOXICITY DATA (LD₅₀ & LC₅₀)
Methanol	15-40	67-56-1	LD _{LO} 340 mg/kg ACGIH TLV - 200 ppm LD ₅₀ Oral (rat) 5628 mg/kg

PHYSICAL DATA FOR PRODUCT

Physical State: Liquid Sp. Gravity: 0.957 pH: 10.0 1% sol. - 9.2
Boiling Point: 64°C Vapour Pressure: 100 mm Hg @ 21.2°C
Vapour Density: 1.11 Evaporation Rate: 4.6 (Butyl Acetate=1)
Freezing Point: -25°C
Solubility in Water: 100%
Appearance & Odour: Blue colored liquid with ammonia smell.

FIRE AND EXPLOSION DATA FOR PRODUCT

Flash Point (Test Method): 38°C - Tag closed cup
Flammable Limits in Air, % by vol. Lower: 6% Upper: 36.5%
Fire Extinguishing Substances: (X) Water Fog (X) Foam (X) CO₂ (X) Dry Chem () Other:

Hazardous Combustion Products: Toxic gases and vapours, such as carbon monoxide and unburned methanol.

Special Firefighting Procedures: Use self contained breathing apparatus with full facepiece operated in pressure demand or other positive pressure mode.
Wear full protective clothing.

REACTIVITY DATA FOR PRODUCT

Incompatibility: () Water (X) Oxidizing Material (X) Acid (X) Base
(X) Other: Nitrates, perchlorates or sulfuric acid.
Hazardous Decomposition Products: See Hazardous Combustion Products.

Chemical Stability: Stable.

N/A - Not applicable.

Product Name: **ALL WEATHER WINDOW CLEANER**

HEALTH HAZARD INFORMATION FOR PRODUCT

EMERGENCY and FIRST AID PROCEDURES

Inhalation: Get fresh air. Get medical help immediately. Administer oxygen if the victims breathing becomes difficult.

Ingestion: Induce vomiting only if the victim is conscious. Drink 3 glasses of milk, water or 4% sodium bicarbonate. Get immediate medical attention.

Eyes: Wash thoroughly with plenty of water for at least 15 minutes. Get medical attention.

Skin: Wash thoroughly with water for at least 15 minutes.

EFFECTS OF OVEREXPOSURE (Acute and Chronic)

Inhalation: Very toxic. Symptoms of intoxication by inhalation may include eye, nose and throat irritation, dizziness, headache & sickness.

Ingestion: Taken orally it is very poisonous. May cause blindness and death.

Eyes: Irritation to eyes. Visual impairment or complete blindness.

Skin: Methanol is readily absorbed transcutaneously. Excessive skin contact should be avoided.

PREVENTIVE MEASURES

Steps to be taken upon release or spillage (including neutralizing):

Notify safety personnel. Remove all sources of ignition. Provide adequate ventilation. Absorb on vermiculite, paper or other absorbent. Burn in any approved or open pit away from buildings and people. Do not flush to sewer.

Waste disposal method:

It can be incinerated. Follow federal, state and local regulations.

Handling and Storage Requirements:

Keep away from all sources of ignition. Use with adequate ventilation. Keep container closed.

Ventilation Requirements (Local or General):

Use under well ventilated area to meet TLV requirements.

Respiratory Protection:

Use air supplies or self-contained breathing apparatus where concentration is above TLV.

Eye Protection:

Safety glasses with sideshield.

Other Protection:

Gloves and coveralls should be worn.